



Product	Product #	Unit
2xYT Medium For the cultivation of recombinant strains of Escherichia coli.	7281A 7281B 7281C	500 g 2 kg 10 kg
A-1 Medium For the detection of coliform microorganisms in water and food.	7601A 601B 7601C	500 g 2 kg 10 kg
Acutone TSB Used for the cultivation of a wide variety of microorganisms, Acutone TSB is completely free of animal-origin components and is in compliance with United States and European Pharmacopeia testing methodologies as stated for Tryptic Soy Broth.	7729A 7729B 7729C	500 g 2 kg 10 kg
Agar, Bacteriological Solidifying agent for use in preparing microbiological culture media. Conforms to USP/EP Pharmacopeia.	7178A 7178B 7178C	500 g 2 kg 10 kg
Agar, Select Solidifying agent for use in preparing microbiological culture media where extraneous matter, pigmented portions and salts have been reduced to a minimum. Conforms to US Pharmacopeia (USP).	7558A 7558B 7558C	500 g 2 kg 10 kg
Agar, Technical Solidifying agent for use in preparing microbiological culture media where specification include good clarity and relatively free of toxic inhibitors. Conforms to US Pharmacopeia (USP).	7619A 7619B 7619C	500 g 2 kg 10 kg
APT Agar For the cultivation of heterofermentative lactobacilli.	7302A 7302B 7302C	500 g 2 kg 10 kg
Azide Dextrose Broth For use in the detection of fecal streptococci in water, sewage, and milk.	7315A 7315B 7315C	500 g 2 kg 10 kg
Bacillus Cereus Agar Base For use with polymyxin B and egg yolk suspension for the isolation and presumptive identification of <i>Bacillus cereus</i> .	7442A 7442B 7442C	500 g 2 kg 10 kg
Baird Parker Agar For the detection and enumeration of <i>Staphylococcus aureus</i> in foods.	7112A 7112B 7112C	500 g 2 kg 10 kg
Beef Extract Powder Dehydrated extract of bovine tissue for use in preparing microbiological culture media.	7228A 7228B 7228C	500 g 2 kg 10 kg
Beta-SSA Agar For use with blood for the selective isolation of Group A streptococci.	7336A 7336B 7336C	500 g 2 kg 10 kg
BIGGY Agar For the isolation and differentiation of <i>Candida</i> spp.	7191A 7191B 7191C	500 g 2 kg 10 kg
Bile Esculin Agar For the selective isolation and differentiation of Group D streptococci.	7249A 7249B 7249C	500 g 2 kg 10 kg
Bile Esculin Azide Agar For the selective isolation and differentiation of Group D streptococci.	7133A 7133B 7133C	500 g 2 kg 10 kg

Product		Product #	Unit
Bile Salts Mixture No. 3 Mixture of bile salts for use in preparing microbiological culture media.		7230A 7230B 7230C	500 g 2 kg 10 kg
Bismuth Sulfite Agar For the selective isolation of <i>Salmonella</i> spp.		7113A 7113B 7113C	500 g 2 kg 10 kg
Blood Agar Base No. 2 For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms.		7266A 7266B 7266C	500 g 2 kg 10 kg
Blood Agar Base Improved For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms.		7268A 7268B 7268C	500 g 2 kg 10 kg
Brain-Heart Infusion Agar For the cultivation of a wide variety of fastidious microorganisms.		7115A 7115B 7115C	500 g 2 kg 10 kg
Brain-Heart Infusion Broth For the cultivation of a wide variety of fastidious microorganisms.		7116A 7116B 7116C	500 g 2 kg 10 kg
Brain-Heart Infusion Solids Dehydrated infusion of porcine brains and hearts for use in preparing microbiological culture media.		7262A 7262B 7262C	500 g 2 kg 10 kg
Brilliant Green Agar For the selective isolation of <i>Salmonella</i> spp.		7117A 7117B 7117C	500 g 2 kg 10 kg
Brilliant Green Agar with Sulfadiazine For the selective enrichment of <i>Salmonella</i> spp.		7310A 7310B 7310C	500 g 2 kg 10 kg
Brilliant Green Agar with Sulfapyridine For the selective enrichment of <i>Salmonella</i> spp.		7299A 7299B 7299C	500 g 2 kg 10 kg
Brilliant Green Bile Broth 2% For the detection of coliform bacteria in water, food, and dairy products.		7119A 7119B 7119C	500 g 2 kg 10 kg
Brucella Agar For the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms.		7120A 7120B 7120C	500 g 2 kg 10 kg
Brucella Broth For the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms.		7121A 7121B 7121C	500 g 2 kg 10 kg
Buffered Listeria Enrichment Broth For the selective enrichment of <i>Listeria</i> spp.		7579A 7579B 7579C	500 g 2 kg 10 kg
Buffered Listeria Enrichment Broth Base FDA recommended formula used with supplements for the selective enrichment of <i>Listeria</i> spp.		7675A 7675B 7675C	500 g 2 kg 10 kg




Product	Product #	Unit
Buffered Peptone Water For the non-selective pre-enrichment of <i>Salmonella</i> spp. from foods.	7418A 7418B 7418C	500 g 2 kg 10 kg
Buffered Sodium Chloride-Peptone Solution, pH 7.0 The diluent specified by the Harmonized Pharmacopoeia for the microbiological examination of non-sterile products. Conforms to Harmonized USP/EP/JP Requirements.	7732A 7732B 7732C	500 g 2 kg 10 kg
Campy blood Free Selective Medium (CCDA) For use with cefoperazone for the selective isolation of <i>Campylobacter</i> spp.	7527A 7527B 7527C	500 g 2 kg 10 kg
Campy Cefex Agar For the selective isolation of cephalothin-resistant <i>Campylobacter</i> spp. U.S. Patent 5,891,709.	7718A 7718B 7718C	500 g 2 kg 10 kg
Campy Slective Agar Base (Preston Modified) For use with antimicrobics for the selective isolation of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> .	7443A 7443B 7443C	500 g 2 kg 10 kg
Campylobacter Enrichment Broth For use with antimicrobics for the selective enrichment of <i>Campylobacter</i> spp.	7526A 7526B 7526C	500 g 2 kg 10 kg
Casein, Acid Hydrolysate Hydrochloric acid hydrolysate of casein for use in preparing microbiological culture media.	7229A 7229B 7229C	500 g 2 kg 10 kg
Casein Digest Peptone An enzymatic digest of casein used in preparing microbiological culture media.	7689A 7689B 7689C	500 g 2 kg 10 kg
Casman Medium Base For use with blood for the isolation of <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> and other fastidious microorganisms.	7123A 7123B 7123C	500 g 2 kg 10 kg
Cetrimide Agar (Agar Medium N) Used in the isolation and identification of <i>Pseudomonas aeruginosa</i> . Conforms to Harmonized USP/EP/HP Requirements.	7688A 7688B 7688C	500 g 2 kg 10 kg
Cetrimide Agar For use in the isolation and identification of <i>Pseudomonas aeruginosa</i> .	7222A 7222B 7222C	500 g 2 kg 10 kg
Charcoal Agar For the cultivation of fastidious microorganisms particularly <i>Bordetella pertussis</i> .	7586A 7586B 7586C	500 g 2 kg 10 kg
CLED Agar For the differentiation and enumeration of microorganisms in urine.	7122A 7122B 7122C	500 g 2 kg 10 kg
Clostridium Difficile Agar For use with cycloserine and cefoxitin for the isolation of <i>Clostridium difficile</i> .	7385A 7385B 7385C	500 g 2 kg 10 kg
Columbia Agar Used with or without blood for the isolation and cultivation of a variety of fastidious microorganisms. Conforms to Harmonized USP/EP/JP Requirements.	7734A 7734B 7734C	500 g 2 kg 10 kg

Product		Product #	Unit
Columbia Blood Agar Base	For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms.	7125A 7125B 7125C	500 g 2 kg 10 kg
Columbia Broth	For the cultivation of a wide variety of fastidious microorganisms.	7127A 7127B 7127C	500 g 2 kg 10 kg
Columbia CNA Agar	For use with blood for the selective isolation of Gram-positive cocci.	7126A 7126B 7126C	500 g 2 kg 10 kg
Cooked Meat Medium	For the cultivating of anaerobic microorganisms.	7110A 7110B 7110C	500 g 2 kg 10 kg
Corn Meal Agar	For the cultivating of phytopathological fungi and production of chlamydospores by <i>Candida albicans</i> .	7350A 7350B 7350C	500 g 2 kg 10 kg
D/E Neutralizing Agar	For the isolation of microorganisms from sanitized environmental surfaces.	7375A 7375B 7375C	500 g 2 kg 10 kg
D/E Neutralizing Broth	For testing and neutralizing of antiseptics and disinfectants.	7562A 7562B 7562C	500 g 2 kg 10 kg
D/E Neutralizing Broth with Tween	For testing and neutralizing of antiseptics and disinfectants.	7705A 7705B 7705C	500 g 2 kg 10 kg
Demi-Fraser Broth Base	For use with ferric ammonium citrate for the selective enrichment of <i>Listeria</i> spp.	7656A 7656B 7656C	500 g 2 kg 10 kg
Deoxycholate Agar	For the isolation and differentiation of Gram-negative enteric bacilli.	7130A 7130B 7130C	500 g 2 kg 10 kg
Deoxycholate Citrate Agar	For the isolation and differentiation of Gram-negative enteric bacilli.	7186A 7186B 7186C	500 g 2 kg 10 kg
Dermatophyte CTest Medium	For the selective isolation of dermatophytic fungi.	7265A 7265B 7265C	500 g 2 kg 10 kg
Dextrose	Used in preparing microbiological culture media.	7203A 7203B 7203C	500 g 2 kg 10 kg
Dextrose Tryptone Agar	For isolation of mesophilic or thermophilic spoilage microorganisms in food.	7340A 7340B 7340C	500 g 2 kg 10 kg
Dextrose Tryptone Broth	For cultivation of mesophilic or thermophilic spoilage microorganisms in food.	7338A 7338B 7338C	500 g 2 kg 10 kg



Product	Product #	Unit
DHL Agar For the detection and isolation of pathogenic Enterobacteriaceae.	7457A 7457B 7457C	500 g 2 kg 10 kg
Dichloran Glycerol (DG-18) Agar Base For the selective isolation and enumeration of yeasts and molds form foods.	7592A 7592B 7592C	500 g 2 kg 10 kg
DNase Test Agar For the differentiation of microorganisms on the basis of deoxyribonuclease activity.	7129A 7129B 7129C	500 g 2 kg 10 kg
DRBC Agar For the selective isolation and enumeration of yeasts and molds in foods.	7591A 7591B 7591C	500 g 2 kg 10 kg
EC Medium For the delective of coliform bacteria at 37°C and Escherichia coli at 44.5°C.	7206A 7206B 7206C	500 g 2 kg 10 kg
EC Medium, Modified For use novobiocin for the selective pre-enrichment of Escherichia coli O157:H7.	7506A 7506B 7506C	500 g 2 kg 10 kg
EC Medium, Modified with Novobiocin For the selective enrichment of Escherichia coli O157:H7.	7700A 7700B 7700C	500 g 2 kg 10 kg
EC Medium with MUG For the fluorogenic detection of Escherichia coli.	7361A 7361B 7361C	500 g 2 kg 10 kg
EE Broth, Mossel For the cultivation and enrichment of Enterobacteriaceae in food. Conforms to Harmonized USP/EP/JP Requirements.	7603A 7603B 7603C	500 g 2 kg 10 kg
Eosin Methylene Blue Agar (Holt, Harris & Teague) For the isolation and differentiation of Gram-negative enteric bacili.	7134A 7134B 7134C	500 g 2 kg 10 kg
Eosin Methylene Blue Agar, Levine For the isolation and differentiation of Gram-negative enteric bacili.	7103A 7103B 7103C	500 g 2 kg 10 kg
Fastidious Anaerobe Agar For the cultivation of anaerobic microorganisms.	7531A 7531B 7531C	500 g 2 kg 10 kg
Fluid Thioglycollate Medium For use in sterility testing. Conforms to Harmonized USP/EP/JP Requirements.	7137A 7137B 7137C	500 g 2 kg 10 kg
Fraser Broth For use with acriflavin, nalidixic acid, and ferric ammonium citrate for the selective enrichment of Listeria spp.	7626A 7626B 7626C	500 g 2 kg 10 kg
Fraser Broth Base For use with ferric ammonium citrate for the selective enrichment of Listeria spp.	7502A 7502B 7502C	500 g 2 kg 10 kg

Product	Product #	Unit
Fungi Agar For the selective isolation of pathogenic fungi from clinical materials.	7205A 7205B 7205C	500 g 2 kg 10 kg
GC Agar For use with hemoglobin and enrichment for the isolation and cultivation of <i>Neisseria gonorrhoeae</i> and other fastidious microorganisms.	7104A 7104B 7104C	500 g 2 kg 10 kg
Gelatin Gelatin protein source and solidifying agent for use in preparing microbiological culture media.	7202A 7202B 7202C	500 g 2 kg 10 kg
GN Broth (Hajna) For the selective enrichment of Gram-negative microorganisms.	7218A 7218B 7218C	500 g 2 kg 10 kg
HC Agar Base For use with polysorbate 80 for the enumeration of molds in cosmetics.	7520A 7520B 7520C	500 g 2 kg 10 kg
Hektoen Enteric Agar For the isolation and differentiation of enteric pathogens.	7138A 7138B 7138C	500 g 2 kg 10 kg
Hemoglobin Powder Freeze-dried hemoglobin for use in preparing microbiological culture media.	7195A 7195B 7195C	500 g 2 kg 10 kg
KF Streptococcus Agar For the isolation and enumeration of fecal streptococci.	7610A 7610B 7610C	500 g 2 kg 10 kg
Kligler Iron Agar For the differentiation of microorganisms on the basis of dextrose and lactose fermentation and hydrogen sulfide production.	7140A 7140B 7140C	500 g 2 kg 10 kg
Lactalbumin Hydrolysate Enzymatic digest of lactalbumin for use in preparing microbiological culture media.	7465A 7465B 7465C	500 g 2 kg 10 kg
Lactobacilli MRS Agar For the cultivation of lactobacilli.	7543A 7543B 7543C	500 g 2 kg 10 kg
Lactobacilli MRS Broth For the cultivation of lactobacilli.	7406A 7406B 7406C	500 g 2 kg 10 kg
Lactobacillus Selective Agar Base For the isolation and enumeration of lactobacilli.	7234A 7234B 7234C	500 g 2 kg 10 kg
Lactose Use in preparing microbiological culture media.	7231A 7231B 7231C	500 g 2 kg 10 kg
Lactose Broth For the detection of coliform bacteria.	7141A 7141B 7338C	500 g 2 kg 10 kg




Product	Product #	Unit
Lauryl Sulfate Broth For the detection of coliform bacteria in water and wastewater.	7142A 7142B 7142C	500 g 2 kg 10 kg
Lauryl Sulfate Broth with MUG For the detection of coliforms and the fluorogenic detection of Escherichia coli.	7300A 7300B 7300C	500 g 2 kg 10 kg
Lauryl Tryptose Broth For the detection of coliform bacteria in water and wastewater.	7324A 7324B 7324C	500 g 2 kg 10 kg
LB Agar, Lennox For use in molecular genetic studies.	7289A 7289B 7289C	500 g 2 kg 10 kg
LB Agar, Miller For use in molecular genetic studies.	7213A 7213B2 7213C	500 g kg 10 kg
LB Broth, Lennox For use in molecular genetic studies.	7290A 7290B 7290C	500 g 2 kg 10 kg
LB Broth, Miller For use in molecular genetic studies.	7279A 7279B 7279C	500 g 2 kg 10 kg
Legionella Agar For the isolation of Legionella spp.	7307A 7307B 7307C	500 g 2 kg 10 kg
Letheen Agar Base For use with polysorbate 80 for the testing of quaternary ammonium compounds for antimicrobial activity.	7118A 7118B 7118C	500 g 2 kg 10 kg
Letheen Agar Base, Modified For use with polysorbate 80 for the isolation of microorganisms from cosmetics.	7495A 7495B 7495C	500 g 2 kg 10 kg
Letheen Agar Base with Tween For the testing of quaternary ammonium compounds for antimicrobial activity.	7710A 7710B 7710C	500 g 2 kg 10 kg
Letheen Broth Base For use with polysorbate 80 for the testing of quaternary ammonium compounds for antimicrobial activity.	7105A 7105B 7105C	500 g 2 kg 10 kg
Letheen Broth Base, Modified For use with polysorbate 80 for the recovery of microorganisms from cosmetics.	7496A 7496B 7496C	500 g 2 kg 10 kg
Letheen Broth with Tween, Modified For the recovery of microorganisms from cosmetics.	7712A 7712B 7712C	500 g 2 kg 10 kg
Listeria Enrichment Broth For the selective enrichment of Listeria spp.	7398A 7398B 7398C	500 g 2 kg 10 kg

Product	Product #	Unit
Littman Agar For the isolation and cultivation of fungi.	7173A 7173B 7173C	500 g 2 kg 10 kg
Lowenstein-Jensen Medium For use with fresh egg and glycerol for the isolation and differentiation of <i>Mycobacterium</i> spp.	7245A 7245B 7245C	500 g 2 kg 10 kg
Lysine Iron Agar For the differentiation of microorganisms on the basis of lysine decarboxylase and hydrogen sulfide production.	7211A 7211B 7211C	500 g 2 kg 10 kg
M-Broth For the cultivation of <i>Salmonella</i> spp.	7296A 7296B 7296C	500 g 2 kg 10 kg
m-Endo Agar For enumerating coliforms in water by the membrane filtration method.	7724A 7724B 7724C	500 g 2 kg 10 kg
m-Endo Broth For enumerating coliforms in water by the membrane filtration method.	7723A 7723B 7723C	500 g 2 kg 10 kg
m-Enterococcus Agar For the selective isolation and enumeration of enterococci by membrane filtration.	7544A 7544B 7544C	500 g 2 kg 10 kg
m-FC Agar For use with rosolic acid for the detection and enumeration of fecal coliforms by membrane filtration.	7397A 7397B 7397C	500 g 2 kg 10 kg
m-FC Broth For use with rosolic acid for the detection and enumeration of fecal coliforms by membrane filtration.	7396A 7396B 7396C	500 g 2 kg 10 kg
m-Green Yeast and Fungi Broth For the detection of fungi in beverages.	7190A 7190B 7190C	500 g 2 kg 10 kg
m-HPC Agar For the heterotrophic plate counts on potable water, recreational water, and other water samples by filtration method.	7690A 7690B 7690C	500 g 2 kg 10 kg
m-TEC Agar For use with urea for the isolation and enumeration of thermotolerant <i>Escherichia coli</i> from water using membrane filtration.	7421A 7421B 7421C	500 g 2 kg 10 kg
m-TGE Broth For the determination of bacterial counts using membrane filtration.	7451A 7451B 7451C	500 g 2 kg 10 kg
MacConkey Agar For the isolation and differentiation of Gram-negative enteric bacilli. Conforms to Harmonized USP/EP/JP Requirements.	7102A 7102B 7102C	500 g 2 kg 10 kg
MacConkey Agar, CS For the isolation and differentiation of Gram-negative enteric bacilli from specimens containing swarming strains of <i>Proteus</i> spp.	7391A 7391B 7391C	500 g 2 kg 10 kg



Product	Product #	Unit
MacConkey Agar without Crystal Violet For the isolation and differentiation of Gram-negative enteric bacilli.	7236A 7236B 7236C	500 g 2 kg 10 kg
MacConkey Agar without Crystal Violet & Salt For the isolation and differentiation of Gram-negative enteric bacilli from specimens containing swarming strains of <i>Proteus</i> spp.	7378A 7378B 7378C	500 g 2 kg 10 kg
MacConkey Agar with Sorbitol For the isolation of pathogenic <i>Escherichia coli</i> .	7320A 7320B 7320C	500 g 2 kg 10 kg
MacConkey Broth For the detection of coliform bacteria in milk and water. Conforms to Harmonized USP/EP/JP Requirements.	7185A 7185B 7185C	500 g 2 kg 10 kg
Malt Agar For the cultivation of fungi.	7456A 7456B 7456C	500 g 2 kg 10 kg
Malt Extract Dehydrated extract of malt for use in preparing microbiological culture media.	7341A 7341B 7341C	500 g 2 kg 10 kg
Mannitol Salt Agar For the isolation of staphylococci. Conforms to Harmonized USP/EP/JP Requirements.	7143A 7143B 7143C	500 g 2 kg 10 kg
Maximum Recovery Diluent (Pepetone Saline Diluent) For maining the viability of organisms during dilution procedures.	7658A 7658B 7658C	500 g 2 kg 10 kg
Middlebrook 7H11 Agar For use with glycerol and OADC enrichment for the cultivation of <i>Mycobacterium</i> spp.	7244A 7244B 7244C	500 g 2 kg 10 kg
Milk Plate Count Agar For the isolation and enumeration of microorganisms in milk and dairy products.	7703A 7703B 7703C	500 g 2 kg 10 kg
MIO Medium For the differentiation of microorganisms on the basis of motility, ornithine decarboxylase activity, and indole production.	7389A 7389B 7389C	500 g 2 kg 10 kg
Mitis Salivarius Agar For the isolation of <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> , and enterococci.	7277A 7277B 7277C	500 g 2 kg 10 kg
Motility Test Agar For the differentiation of microorganisms on the basis of motility.	7247A 7247B 7247C	500 g 2 kg 10 kg
MRSA Agar Base For the determination of methicillin-resistant and oxacillin-resistant (heteroresistant) staphylococci.	7420A 7420B 7420C	500 g 2 kg 10 kg
MR-VP Broth For the differentiation of microorganisms on the basis of acid or acetyl methyl carbinol production (MR-VP Reaction).	7237A 7237B 7237C	500 g 2 kg 10 kg

Product		Product #	Unit
Mueller Hinton Agar For the use in antimicrobial susceptibility testing by the disk diffusion method. Conforms to CLSI (formerly NCCLS).		7101A 7101B 7101C	500 g 2 kg 10 kg
Mycobiotic Agar For the selective isolation of pathogenic fungi from clinical materials.		7419A 7419B 7419C	500 g 2 kg 10 kg
Mycological Agar For the cultivation of fungi.		7309A 7309B 7309C	500 g 2 kg 10 kg
Nutrient Agar For the cultivation of a wide variety of microorganisms.		7145A 7145B 7145C	500 g 2 kg 10 kg
Nutrient Agar 1.5% For the cultivation of a wide variety of microorganisms.		7286A 7286B 7286C	500 g 2 kg 10 kg
Nutrient Broth For the cultivation of a wide variety of microorganisms.		7146A 7146B 7146C	500 g 2 kg 10 kg
Nutrient Gelatin for the differentiation of microorganisms on the basis of gelatinase production.		7471A 7471B 7471C	500 g 2 kg 10 kg
OGYE Agar Base For the isolation and enumeration of yeasts and molds.		7655A 7655B 7655C	500 g 2 kg 10 kg
Orange Serum Agar For the cultivation of aciduric microorganisms associated with spoilage of products.		7587A 7587B 7587C	500 g 2 kg 10 kg
Oxbile (Oxgall) Dehydrated bile for use in preparing microbiological culture media.		7216A 7216B 7216C	500 g 2 kg 10 kg
Oxford Listeria Agar For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.		7428A 7428B 7428C	500 g 2 kg 10 kg
PALCAM Agar For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.		7669A 7669B 7669C	500 g 2 kg 10 kg
PALCAM Broth For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.		7670A 7670B 7670C	500 g 2 kg 10 kg
Pancreatic Digest of Casein (Peptone C1) Enzymatically hydrolyzed casein, providing a complex nitrogen source in microbiological culture media.		7179A 7179B 7179C	500 g 2 kg 10 kg
Pancreatic Digest of Casrin 2 (Peptone C2) Enzymatically digest of casein used for preparing microbiological culture media.		9189A 9189B 9189C	500 g 2 kg 10 kg



Product	Product #	Unit
Pancreatic Digest of Gelatin (Peptone G) Enzymatic digest of gelatin for use in preparing microbiological culture media.	7182A 7182B 7182C	500 g 2 kg 10 kg
Pancreatic Digest of Soybean Meal (Peptone S1) A highly digested hydrolysate of soybean meal prepared under controlled conditions for use in culture media.	7180A 7180B 7180C	500 g 2 kg 10 kg
Peptic Digest of Soybean Meal (Peptone S2) Enzymatic digest of soybean meal used in preparing microbiological culture media.	9213A 9213B 9213C	500 g 2 kg 10 kg
Peptic Digest of Animal Tissue (Peptone A) Enzymatic digest of animal tissue for use in preparing microbiological culture media.	7181A 7181B 7181C	500 g 2 kg 10 kg
Peptone S, Ultrafiltered Peptic digest of soybean meal, which has been ultrafiltered for use in microbiological culture media where improved filterability or low endotoxin levels are required.	7680A 7680B 7680C	500 g 2 kg 10 kg
Peptone Water for the cultivation of non-fastidious microorganisms, inside testing, and as a basal medium for carbohydrate fermentation studies.	7365A 7365B 7365C	500 g 2 kg 10 kg
Phenol Red Broth Base For use with carbohydrates for the differentiation of microorganisms on the basis of carbohydrated fermentation reactions.	7148A 7148B 7148C	500 g 2 kg 10 kg
Phenylethanol Agar For use with blood for the selective isolation of Gram-positive cocci.	7147A 7147B 7147C	500 g 2 kg 10 kg
Phosphate Buffer, pH 7.2 For the preparation of microbiological dilution blanks.	7380A 7380B 7380C	500 g 2 kg 10 kg
Potato Dextrose Agar For the cultivation of fungi. Conforms to Harmonized USP/EP/JP Requirements.	7149A 7149B 7149C	500 g 2 kg 10 kg
Potato Dextrose Broth For the cultivation of fungi.	7585A 7585B 7585C	500 g 2 kg 10 kg
Potato Infusion Agar For the isolation of Brucella abortus.	7532A 7532B 7532C	500 g 2 kg 10 kg
PPLO Broth without CV For use with antimicrobics for the selective isolation of Mycoplasma spp.	7485A 7485B 7485C	500 g 2 kg 10 kg
Presence-Absence Broth For the detection of coliform bacteria in water treatment plants of distribution system using the presence-absence coliform test.	7500A 7500B 7500C	500 g 2 kg 10 kg
Pseudomonas Cepacia Agar For the selective isolation of Burkholderia (Pseudomonas) cepacia.	7458A 7458B 7458C	500 g 2 kg 10 kg

Product	Product #	Unit
Pseudomonas Isolation Agar For hte isolation of Pseudomonas aeruginosa and other Pseudomonas spp.	7329A 7329B 7329C	500 g 2 kg 10 kg
R2A Agar For the enumeration and cultivation of bacteria from potable water.	7390A 7390B 7390C	500 g 2 kg 10 kg
Rappaport-Vassiliadis (MRSV) Medium Semisolid Modified For use with novobiocin for the rapid detection of mostile Salmonella spp.	7511A 7511B 7511C	500 g 2 kg 10 kg
Rappaport-Vassiliadis R10 Broth For the selective enrichment of Salmonella spp. from foods.	7512A 7512B 7512C	500 g 2 kg 10 kg
Rappaport-Vassiliadis Salmonella Enrichment Broth Used for the enrichment and selective isolation of Salmonella spp. Conforms to Harmonized USP/EP/JP Requirements.	7730A 7730B 7730C	500 g 2 kg 10 kg
Reinforced Clostridial Medium Used for the cultivation of anaerobes from food and clinical specimens. Conforms to Harmonized USP/EP/JP Requirements.	7714A 7714B 7714C	500 g 2 kg 10 kg
Rose Bengal Chloramphenicol Agar For the selective isolation and enumeration of yeasts and molds in foods.	7664A 7664B 7664C	500 g 2 kg 10 kg
Sabouraud Dextrose Agar For the cultivation of fungi. Conforms to Harmonized USP/EP/JP Requirements.	7150A 7150B 7150C	500 g 2 kg 10 kg
Sabouraud Dextrose Agar, Emmons For the cultivation of fungi.	7204A 7204B 7204C	500 g 2 kg 10 kg
Sabouraud Dextrose Agar with Chloramphenicol For the selective isolation of fungi.	7306A 7306B 7306C	500 g 2 kg 10 kg
Sabouraud Dextrose Agar with Lecithin & Tween 80 For the isolation of fungi from surfaces sanitized with quaternary ammonium compounds.	7392A 7392B 7392C	500 g 2 kg 10 kg
Sabouraud Dextrose Broth Used for the cultivation of fungi from sterile and non-sterile products. Conforms to Harmonized USP/EP/JP Requirements.	7617A 7617B 7617C	500 g 2 kg 10 kg
Salmonella Shigella Agar For the isolation of Salmonella spp. and some strains of Shigella spp.	7152A 7152B 7152C	500 g 2 kg 10 kg
Schaedler Agar For the cultivation of anaerobic microorganisms.	7153A 7153B 7153C	500 g 2 kg 10 kg
Schaedler Broth For the cultivation of anaerobic microorganisms.	7154A 7154B 7154C	500 g 2 kg 10 kg



Product	Product #	Unit
Selective Strep Agar, Modified No. 2 For use with blood for the selective isolation of Group A streptococci.	7405A 7405B 7405C	500 g 2 kg 10 kg
Selenite Broth For the selective enrichment of <i>Salmonella</i> spp. from clinical material.	7155A 7155B 7155C	500 g 2 kg 10 kg
Selenite Cystine Broth For the selective enrichment of <i>Salmonella</i> spp.	7283A 7283B 7283C	500 g 2 kg 10 kg
SIM Medium For the differentiation of microorganisms on the basis of hydrogen sulfide, indole production, and motility.	7221A 7221B 7221C	500 g 2 kg 10 kg
Simmons Citrate Agar For the differentiation of microorganisms on the basis of citrate utilization.	7156A 7156B 7156C	500 g 2 kg 10 kg
Skin Milk Dehydrated skim milk for use in preparing microbiological culture media.	7352A 7352B 7352C	500 g 2 kg 10 kg
Standard Method Agar For the enumeration of bacteria in water, wastewater, wastewater, food, and dairy products. Conforms to APHA and AOAC.	7157A 7157B 7157C	500 g 2 kg 10 kg
TAT Broth For the selection of microorganisms in cosmetics and topical drugs.	7219A 7219B 7219C	500 g 2 kg 10 kg
TCBS Agar For the selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic vibrios.	7210A 7210B 7210C	500 g 2 kg 10 kg
Tergitol 7 Agar For the selective isolation of coliform bacteria.	7187A 7187B 7187C	500 g 2 kg 10 kg
Terrific Broth, Modified For use with glycerol in cultivating recombinant strains of <i>Escherichia coli</i> .	7708A 7708B 7708C	500 g 2 kg 10 kg
Tetrathionate Broth Base For the iodine for the recovery of <i>Salmonella</i> spp.	7241A 7241B 7241C	500 g 2 kg 10 kg
Thioglycollate Medium without Indicator For the cultivation of anaerobic microorganisms.	7160A 7160B 7160C	500 g 2 kg 10 kg
Todd Hewitt Broth For the cultivation of streptococci and other fastidious microorganisms.	7161A 7161B 7161C	500 g 2 kg 10 kg
Tomato Juice Agar For the cultivation of lactobacilli.	7349A 7349B 7349C	500 g 2 kg 10 kg

Product	Product #	Unit
Triple Sugar Iron Agar For the differentiation of microorganisms on the basis of dextrose, lactose, and sucrose fermentation and hydrogen sulfide production.	7162A 7162B 7162C	500 g 2 kg 10 kg
Tryptic Soy Agar For the cultivation of a wide variety of microorganisms. Conforms to Harmonized USP/EP/JP Requirements.	7100A 7100B 7100C	500 g 2 kg 10 kg
Tryptic Soy Agar wuth Lecithin % Tween 80 For the isolation of microorganisms from surfaces sanitized with quaternary ammonium compounds.	7163A 7163B 7163C	500 g 2 kg 10 kg
Tryptic Soy Blood Agar Base No. 2 For the isolating and cultivating a wide variety of microorganisms.	7654A 7654B 7654C	500 g 2 kg 10 kg
Tryptic Soy Broth For the cultivation of a wide variety of microorganisms. Conforms to Harmonized USP/EP/JP Requirements.	7164A 7164B 7164C	500 g 2 kg 10 kg
Tryptic Soy Broth, Modified with Novobiocin Used for the selective enrichment of enterohemorrhagic Escherichia coli in foods.	7694A 7694B 7694C	500 g 2 kg 10 kg
Tryptic Soy Broth, Modified with Novobiocin & Acid Digest Casein For the selective enrichment of enterohemorrhagic E. coli in foods. Conforms to USDA formulation with Novobiocin supplementation.	7731A 7731B 7731C	500 g 2 kg 10 kg
Tryptone Enzymatic digest of casein for use in preparing microbiological culture media.	7351A 7351B 7351C	500 g 2 kg 10 kg
Tryptone Glucose Extract Agar For the cultivation and enumeration of microorganisms in dairy products.	7242A 7242B 7242C	500 g 2 kg 10 kg
Tryptose An enzymatic digest of protein for use in preparing microbiological culture media.	7693A 7693B 7693C	500 g 2 kg 10 kg
Tryptose Agar For the cultivation of Brucella spp. and other fastidious microorganisms.	7347A 7347B 7347C	500 g 2 kg 10 kg
Tryptose Blood Agar Base For the use blood for the isolation and cultivation of a wide variety of microorganisms.	7282A 7282B 7282C	500 g 2 kg 10 kg
Tryptose Broth For the cultivation of Brucella spp. and other fastidious microorganisms.	7367A 7367B 7367C	500 g 2 kg 10 kg
Tryptose Phosphate Broth For the cultivation of a wide variety of a fastidious microorganisms.	7278A 7278B 7278C	500 g 2 kg 10 kg
Universal Beer Agar For the cultivation of bacteria and yeasts encountered in the brewing industry.	7574A 7574B 7574C	500 g 2 kg 10 kg



Product	Product #	Unit
Universal Pre-Enrichment Broth For the recovery of <i>Salmonella</i> spp. and <i>Listeria</i> spp.	7510A 7510B 7510C	500 g 2 kg 10 kg
Urea Agar Base For the differentiation of microorganisms on the basis of urease production.	7226A 7226B 7226C	500 g 2 kg 10 kg
UVM Modified Listeria Enrichemnt Broth For the selective isolation of <i>Listeria</i> spp.	7409A 7409B 7409C	500 g 2 kg 10 kg
Violet Red Bile Agar For the enumeration of coliforms in food and dairy products. Conforms to APHA.	7165A 7165B 7165C	500 g 2 kg 10 kg
Violet Red Bile Agar with MUG For the detection of coliforms and the fluorogenic detection of <i>Escherichia coli</i> .	7359A 7359B 7359C	500 g 2 kg 10 kg
Violet Red Bile Glucose Agar For the enumeration of Enterobacteriaceae in foods. Conforms to Harmonized USP/EP/JP Requirements.	7425A 7425B 7425C	500 g 2 kg 10 kg
Vogel and Johnson Agar For the isoaltion of Staphylococci.	7207A 7207B 7207C	500 g 2 kg 10 kg
Wilkins-Chalgren Agar For the cultivation of anaerobic microorganisms,	7232A 7232B 7232C	500 g 2 kg 10 kg
Wilkins-Chalgren Broth For the cultivation of anaerobic microorganisms.	7233A 7233B 7233C	500 g 2 kg 10 kg
W-L Nutrient Medium For the cultivation of yeasts, molds, and bacteria encountered in brewing and industrial fermentations.	7488A 7488B 7488C	500 g 2 kg 10 kg
XLD Agar For the isolation and differentiation of enteric pathogens. Conforms to Harmonized USP/EP/JP Requirements.	7166A 7166B 7166C	500 g 2 kg 10 kg
XTL4 Agar For use with Tergitol 4 for the isolation of non-typhi <i>Salmonella</i> spp.	7517A 7517B 7517C	500 g 2 kg 10 kg
Yeast Extract Autolysate of yeast cells for use in preparing microbiological culture media.	7184A 7184B 7184C	500 g 2 kg 10 kg
Yeast Extract Agar For the enumeration of microorganisms in potable and freshwater samples.	7707A 7707B 7707C	500 g 2 kg 10 kg
Yersinia Selective Agar For use with cefsulodin and nocobiocin for the isolation of <i>Yersinia enterocolitica</i> .	7257A 7257B 7257C	500 g 2 kg 10 kg

Product	Product #	Unit
YM Agar For the cultivation of yeasts, molds and other aciduric microorganisms.	7525A 7525B 7525C	500 g 2 kg 10 kg
YM Broth For the cultivation of fungi.	7363A 7363B 7363C	500 g 2 kg 10 kg

